



Vinyl - Food Contact

# **FOOD CONTACT**

**SOLUTION FOR FOOD INDUSTRY**

RESTAURANTS, GROCERY, SUPERMARKETS, FOOD PROCESSING, FOOD TRANSPORT & SLAUGHTERHOUSES

# EXTRUFLEX GROUP

Extruflex is an international flexible Vinyl manufacturer with a history of more than 50 years, through independent R&D, using High Quality raw materials, advanced compounding formula and extrusion process. Our products are high quality, multifunctional and environment-friendly recognized. Extruflex has developed a global sales network and become a world leader of flexible Vinyl extrusion.

Our clients expect technical solutions as well as perfect service and quality from us! We satisfy such expectations by applying three simple principles:

## Specialisation and quality: Soft PVC or Flexible Vinyl

Specialisation underpins reputation, credibility and quality.

From the formulation of flexible vinyl right up to its transformation into films, strips and sheets, specialization makes us world leader within our profession.

## Global vision, local service

Scale effects with two factories (France and China).


Proximity and international network (France, Germany, UK, Italy, Hong-Kong, Thailand, Indonesia, USA & Brazil)

## A Business ethics

EXTRUFLEX undertakes to satisfy the markets whilst protecting the users and their environment.

Our products comply with the national and international standards governing hygiene and safety

# FOOD CONTACT VINYL FOR MAXIMUM SAFETY



# ENVIRONMENT & HEALTH

## VINYL & PHTHALATES

- ✓ Vinyl is rigid by nature, plasticizers are essential to make it flexible.
- ✓ Phthalates are a group of plasticizers with softening and elastic effects, they are widely used in the current market deal to lower cost
- ✓ EU, USA, Canada and other countries have restricted or forbidden their use because the risks for human health and their negative effect on environment.



## WHY NON-PHTHALATE PLASTICIZER IN SOFT VINYL

- ✓ In response to growing concern about unsafe phthalate plasticizers, Extruflex produces all our Flexible Vinyl by using Non-phthalate plasticizer.
- ✓ The NON-PHTHALATE plasticizer selected by EXTRUFLEX is complying with the highest safety standard and food regulation in the world (REACH, RoHS, Toys regulation, EUROPEAN food contact regulation, CALIFORNIA Prop 65, etc.).



RISK ASSESSMENT		CONCLUSION OF THE ASSESSMENT ON THE RISKS TO	CHLORINATED PARAFFIN (SC)	PHTHALATE		NON PHTHALATE	
				DEHP	DINP		
HUMAN HEALTH	WORKERS		X	X	✓	✓	
	CONSUMERS*		X	X	✓	✓	
	HUMANS EXPOSED VIA THE ENVIRONMENT			X	X	✓	✓
	HUMAN HEALTH (physico-chemical properties)			X	X	✓	✓
	FOOD CONTACT	Aqueous preparation*		X	X	✓	✓
		Acidic liquid*		X	X	✓	✓
		Alcohol beverage*		X	X	✓	✓
Fatty food*			X	X	X	✓	
TOYS AND CHILDCARE ARTICLE			X	X	X	✓	
ENVIRONMENT	AQUATIC ECOSYSTEM			X	✓	✓	
	TERRESTRIAL ECOSYSTEM			X	✓	✓	
<b>Conclusion</b>			<b>PBT &amp; vPvB</b>	<b>Repr. Cat.2 R60-61</b>	<b>Restricted use</b>	<b>SAFE</b>	
			✓ : SAFE	X : RISK FOR HUMAN HEALTH OR ENVIRONMENT			

\* migration of the plasticizer shall not exceed the maximum level authorized by regulation. DINP cannot be used in toys and childcare articles which can be placed in mouth. Use of DEHP is unauthorized in all toys and childcare articles. PBT and vPvB refer to substances with «Persistent, Bioaccumulative and Toxic» or «very Persistent and very Bioaccumulative» properties.

# VINYL FOR ALL FOOD CONTACT APPLICATIONS

**This product has been specifically designed for contact within food processing environments, it is particularly recommended for use in the food industry (slaughterhouses, refrigerated transport, cold store, supermarkets, etc.).**

## Products Features

- ✓ Safety – Non-Phthalate Technology , Food Contact Safe Grade.
- ✓ Clear Vinyl – Highest transparent vinyl of the market.
- ✓ Energy Saving – High thermal insulation and prevents for energy lost.
- ✓ Simplicity – Fast installation and easy maintenance lead to increase workers productivity.
- ✓ Quality Assurance – Stringent quality control.



## Laboratories' certified

Food Contact Flex Vinyl strips and sheets is intended to come into contact with food,

- comply with the requirements of the regulation 1935/ 2004/ EC of October 27, 2004
- comply with the relevant requirements of the (EU) regulation n°10/2011 of January 14, 2011
- are manufactured according to Good Manufacturing Practice (GMP) as set out in the (EC) Regulation n°2023/ 2006 of December 22, 2006.
- comply with the requirement of the Chinese regulation GB4806.7-2016.



## Table Pads/ Covers

- ✓ Protect your table or tablecloth against scratches, scuffs, stains, spillage while keeping your desk tidy, clean and organized.
- ✓ Durable and environment friendly material. Waterproof, non-slipping, heat resistant (80°C).
- ✓ Suitable for any glass or wood tables and desks. Perfect for restaurant, kitchens, dining rooms and office workplaces etc.
- ✓ Easy to clean, using a dish cloth to wipe stains or clean it with water and soap.



# HARDWARE FOR FOOD CONTACT VINYL

## /// STRIP DOOR- STAINLESS STEEL HOOK & PLATES

In order to maximize the effectiveness of the strip door, it should be designed according to different usage with different overlap ratios.



### Overlap Ratio Suggested

WIDTH X THICKNESS OF STRIPS (mm)	STRONG ISOLATION (FULL OVERLAP)	STANDARD ISOLATION (PARTIAL OVERLAP)	SLIGHT ISOLATION (MINIMUM OVERLAP)
200 X 2	OVERLAP 98% 	OVERLAP 77% 	OVERLAP 36% 
300 X 3	OVERLAP 91% 	OVERLAP 63% 	OVERLAP 36% 
400 X 4	OVERLAP 98% 	OVERLAP 77% 	OVERLAP 57% 

## /// STRIP DOOR - QUICKMOUNT

Extruflex, for the convenience of the user to install the door, developed a simple, convenient and practical hardware accessories: «QuickMount». Quickmount is available in plastic or aluminum material.



## /// SWING DOOR

The flexible swing door leaves are supported by a metallic half-frame. A torsion spring hinge ensures they close automatically.





**DISTRIBUTOR**



[www.extruflex.com](http://www.extruflex.com)



- EXTRUFLEX FRANCE** 25 RUE GREFFULHE 92300 LEVALLOIS PERRET • TEL: +33 1 41 49 99 30 / FAX: +33 1 47 59 03 33
- EXTRUFLEX GMBH GERMANY** HANSESTRASSE 81 51149 KÖLN • TEL: +49 2203 102 45 81 / FAX: +49 2203 102 45 82
- EXTRUFLEX UK** UNIT J2, CARLTON DRIVE PEN-Y-FAN INDUSTRIAL ESTATE CRUMLIN NEWPORT NP11 4EA • TEL: +44 (0) 1495 248548 / FAX: +44 (0) 1495 248066
- EXTRUFLEX NORTH AMERICA** 169 BUSINESS CENTER DRIVE, BIRMINGHAM, AL 35244 • TEL: +1 888 501 1095 / FAX: +1 888 501 1096
- EXTRUFLEX DO BRAZIL** RUA EDUARDO SPRADA, 6520 6 CICI, CURITABA, PARANA, BRASIL, CEP 81-290-110 • TEL: +55 (41) 3019 2530 / FAX: +55 (41) 3026 1232
- EXTRUFLEX RUSSIA** 62, D.GRIBKI MYTISHCHINSKY RAYON 141706 MOSCOW REGION RUSSIAN FEDERATION • TEL: +7 985 729 31 91 / FAX: +7 985 729 31 91
- EXTRUFLEX CHINA ASIA PACIFIC** N°1 YOUCHENG ROAD, XIOLAN INDUSTRIAL ZONE, ZHONGSHAN DISTRICT • TEL: +86 760 222 86750 / FAX: +86 760 222 89089
- GOLDVEST THAILAND** 69/60 M.6, KINGKAEW RD, RACHATHEWA, BANGPLEE, SAMUTPRAKARN THAILAND, 10540 • TEL: +66 2738 4939 / FAX: +66 2738 4928 - 9
- GOLDVEST INDONESIA** PERTOKOAN GLODOK JAYA LT.IV BLOK D44-47 JL.HAYAM WURUK JAKARTA 11180 INDONESIA • TEL: (62-21) 6244862 / FAX: (62-21) 6244865